

## DSP116IIL

### Wall Mount Speaker



#### Description

DSP116IIL is Wall Mount Speaker which is widely used in such places as schools, gymnasiums, square halls, parks, parking lots, railway stations, airports, villa communities and mall supermarkets, etc., and they will be your ideal choice for public address system.


#### Features

- Clear and bright sound.
- Designed specially for cost-sensitive applications.
- Streamlined appearance and integrated design allow it match with different decoration style.
- Used to play music and broadcast.
- Box: High-quality ABS environmental-friendly material, safe and durable.
- Speaker unit: 4.5 " full frequency speaker.

#### Specifications

Model	DSP116IIL
Speaker Unit	4.5 " ×1
Impedance	8Ω
RMS	6W
Frequency Range	180Hz~15kHz
Sensitivity (1m, 1W)	90dB±2dB
MAX. SPL. (1m)	100dB±2dB
Size (H×W×D)	188×228×101mm
Net Weight	0.8kg

Product Information




Model	H	W	D
DSP116IIL	188	228	101

(Unit:mm)



Size

# Technical Parameters


Frequency Response  
(dB SPL, 1W, 1m)



Distortion  
(THD< 5% 1W, 1m, 100Hz-10kHz)



Vertical directivity pattern



Horizontal directivity pattern